Journal of MOLECULAR BIOLOGY

LIBRARY USE ONLY
UNIVERSITY OF HAWAII LIBRARY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
C. R. Cantor
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker

301
13

VOLUME 70
14 September 1972 to 14 October 1972

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1972, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 70

NUMBER 1, 14 SEPTEMBER 1972

TAKETO, A., YASUDA, S. and SEKIGUCHI, M., Initial Step of Excision Repair in *Escherichia coli*: Replacement of Defective Function of *uvr* Mutants by T4 Endonuclease V 1

LEAVITT, J. C., MOLDAVE, K. and NAKADA, D., Stimulation of *in vitro* RNA Synthesis by Ribosomes and Ribosomal Proteins 15

KOZAK, M. and NATHANS, D., Differential Inhibition of Coliphage MS2 Protein Synthesis by Ribosome-directed Antibiotics 41

SAMBROOK, J., SHARP, P. A. and KELLER, W., Transcription of Simian Virus 40. I. Separation of the Strands of SV40 DNA and Hybridization of the Separated Strands to RNA Extracted from Lytically Infected and Transformed Cells 57

CHIANCONE, E., VECCHINI, P., ROSARIA ROSSI FANELLI, M. and ANTONINI, E., Studies on Erythrocruorin. II. Dissociation of Earthworm Erythrocruorin 73

MILLER, A. and TREGEAR, R. T., Structure of Insect Fibrillar Flight Muscle in the Presence and Absence of ATP 85

MATEU, L., TARDIEU, A., LUZZATI, V., AGGERBECK, L. and SCANU, A. M., On the Structure of Human Serum Low Density Lipoprotein 105

YU, N-T., LIU, C. S. and O'SHEA, D. C., Laser Raman Spectroscopy and the Conformation of Insulin and Proinsulin 117

O'BRIEN, E. J. and BENNETT, P. M., Structure of Straight Flagella from a Mutant *Salmonella* 133

LETTER TO THE EDITOR—

BRUNNER, H., MAYER, A. and SUSSNER, H., Resonance Raman Scattering on the Haem Group of Oxy- and Deoxyhaemoglobin. 153

NUMBER 2, 28 SEPTEMBER 1972

HINKLE, D. C. and CHAMBERLIN, M. J., Studies of the Binding of *Escherichia coli* RNA Polymerase to DNA. I. The Role of Sigma Subunit in Site Selection 157

Appendix—A Nitrocellulose Filter Assay for the Binding of RNA Polymerase to DNA 177

HINKLE, D. C. and CHAMBERLIN, M. J., Studies of the Binding of *Escherichia coli* RNA Polymerase to DNA. II. The Kinetics of the Binding Reaction 187

HINKLE, D. C., RING, J. and CHAMBERLIN, M. J., Studies of the Binding of *Escherichia coli* RNA Polymerase to DNA. III. Tight Binding of RNA Polymerase Holoenzyme to Single-strand Breaks in T7 DNA . . . 197

HINKLE, D. C., MANGEL, W. F. and CHAMBERLIN, M. J., Studies of the Binding of *Escherichia coli* RNA Polymerase to DNA. IV. The Effect of Rifampicin on Binding and on RNA Chain Initiation 209

CHAMBERLIN, M. J. and RING, J., Studies of the Binding of *Escherichia coli* RNA Polymerase to DNA. V. T7 RNA Chain Initiation by Enzyme–DNA Complexes 221

GÓMEZ, B. and LANG, D., Denaturation Map of Bacteriophage T7 DNA and Direction of DNA Transcription 239

JAYARAMAN, R., Transcription of Bacteriophage T4 DNA by *Escherichia coli* RNA Polymerase *in vitro*: Identification of some Immediate-early and Delayed-early Genes 253

PERRY, R. P. and KELLEY, D. E., The Production of Ribosomal RNA from High Molecular Weight Precursors. III. Hydrolysis of Pre-ribosomal and Ribosomal RNA by a 3′-OH Specific Exoribonuclease 265

NAKAYAMA, H., PRATT, A. and HANAWALT, P., Ultraviolet-induced Repair Synthesis in the Duplicated and Non-duplicated Regions of the *Escherichia coli* Chromosome 281

OGAWA, S., SHULMAN, R. G. and YAMANE, T., High Resolution Nuclear Magnetic Resonance Spectra of Hemoglobin. I. The Cyanide Complexes of α and β Chains 291

OGAWA, S., SHULMAN, R. G., FUJIWARA, M. and YAMANE, T., High Resolution Nuclear Magnetic Resonance Spectra of Hemoglobin. II. Ligated Tetramers 301

OGAWA, S. and SHULMAN, R. G., High Resolution Nuclear Magnetic Resonance Spectra of Hemoglobin. III. The Half-ligated State and Allosteric Interactions 315

WEINTRAUB, H., CAMPBELL, G. and HOLTZER, H., Identification of a Developmental Program using Bromodeoxyuridine 337

NAKANISHI, M., TSUBOI, M. and IKEGAMI, A., Fluctuation of the Lysozyme Structure 351

ALONI, Y. and ATTARDI, G., Expression of the Mitochondrial Genome in HeLa cells. XI. Isolation and Characterization of Transcription Complexes of Mitochondrial DNA 363

LETTER TO THE EDITOR—

ALONI, Y. and ATTARDI, G., Expression of the Mitochondrial Genome in HeLa Cells. XII. Relationship between Mitochondrial Fast-sedimenting RNA Components and Ribosomal and 4 s RNA . . . 375

NUMBER 3, 14 OCTOBER 1972

FIRSHEIN, W., The DNA/Membrane Fraction of *Pneumococcus* Contains a DNA Replication Complex 383

BOURGAUX, P. and BOURGAUX-RAMOISY, D., Unwinding of Replicating Polyoma Virus DNA 399

YOSHIIKE, K., FURUNO, A. and SUZUKI, K., Denaturation Maps of Complete and Defective Simian Virus 40 DNA Molecules 415

APPELS, R. and WELLS, J. R. E., Synthesis and Turnover of DNA-bound Histone during Maturation of Avian Red Blood Cells 425

PRICE, R. and PENMAN, S., A Distinct RNA Polymerase Activity, Synthesizing 5·5 s, 5 s and 4 s RNA in Nuclei from Adenovirus 2-infected HeLa Cells 435

KENNELL, D. and SIMMONS, C., Synthesis and Decay of Messenger Ribonucleic Acid from the Lactose Operon of *Escherichia coli* during Amino-acid Starvation 451

FEUNTEUN, J., JORDAN, B. R. and MONIER, R., Study of the Maturation of 5 s RNA Precursors in *Escherichia coli* 465

ISHIKAWA, F., FRAZIER, J., HOWARD, F. B. and MILES, H. T., Polyadenylate·Polyuridylate Helices with non-Watson–Crick Hydrogen Bonding . . 475

HOUGH, B. R. and DAVIDSON, E. H., Studies on the Repetitive Sequence Transcripts of *Xenopus* Oocytes 491

PERBAL, B. and HERVÉ, G., Biosynthesis of *Escherichia coli* Aspartate Transcarbamylase. I. Parameters of Gene Expression and Sequential Biosynthesis of the Subunits 511

UNGER, R. C., ECHOLS, H. and CLARK, A. J., Interaction of the Recombination Pathways of Bacteriophage λ and Host *Escherichia coli:* Effects on λ Recombination 531

UNGER, R. C. and CLARK, A. J., Interaction of the Recombination Pathways of Bacteriophage λ and its Host *Escherichia coli* K12: Effects on Exonuclease V Activity 539

BIRD, R. E., LOUARN, J., MARTUSCELLI, J. and CARO, L., Origin and Sequence of Chromosome Replication in *Escherichia coli* 549

Carter, W. A., Pitha, P. M., Marshall, L. W., Tazawa, I., Tazawa, S. and Ts'o, P. O. P., Structural Requirements of the $rI_n \cdot rC_n$ Complex for Induction of Human Interferon 567

Weintraub, S. B. and Frankel, F. R., Identification of the T4*r*IIB Gene Product as a Membrane Protein 589

Prashad, N. and Hosoda, J., Role of Genes *46* and *47* in Bacteriophage T4 Reproduction. II. Formation of Gaps on Parental DNA of Polynucleotide Ligase Defective Mutants 617

Suzuki, Y., Gage, L. P. and Brown, D. D., The Genes for Silk Fibroin in *Bombyx mori* 637

Louie, D. D., Kaplan, N. O. and McLean, J. D., Allosteric Effect of 2′-Adenylic Acid on the *Pseudomonas* Pyridine Nucleotide Transhydrogenase 651

Winterhalter, K. H., Di Iorio, E. E., Beetlestone, J. G., Kushimo, J. B., Uebelhack, H., Eicher, H. and Mayer, A., The Electronic Structure of the Haem Iron in Haemoglobin Zurich $\beta^{63his} \rightarrow$arg 665

Chiancone, E., Norne, J. E., Forsén, S., Antonini, E. and Wyman, J., Nuclear Magnetic Resonance Quadrupole Relaxation Studies of Chloride Binding to Human Oxy- and Deoxyhaemoglobin 675

Noble, R. W., Rossi, G.-L. and Berni, R., A Structural Comparison of Ligand-saturated Hemoglobin with Protoporphyrin Globin. I. Reaction with Bromothymol Blue and Sulfhydryl Reagents 689

Salemme, F. R. and Fehr, D. G., A Device for the Rapid Measurement of Molecular Model Co-ordinates for X-ray Crystallography . . . 697

Colman, P. M., Jansonius, J. N. and Matthews, B. W., The Structure of Thermolysin: An Electron Density Map at 2·3 Å Resolution . . . 701

Letters to the Editor

Giacomoni, D. and Finkel, D., Time of Duplication of Ribosomal RNA Cistrons in a Cell Line of *Potorous tridactylis* (Rat Kangaroo) . . 725

Geraci, G. and Sada, A., Reactivity of the 93β Sulphydryls of Human Haemoglobin A: Influence of the β C-Terminal Residues . . . 729

Hershberg, R. and Asakura, T., Proton Magnetic Resonance of Isolated Hemoglobin Subunits 735

Sobieszek, A., Cross-bridges on Self-assembled Smooth Muscle Myosin Filaments 741

Index to Volume 70

Adenosine triphosphate, structure of insect fibrillar flight muscle in the absence and presence of ATP, 85
Adenovirus 2-infected HeLa cell nuclei, RNA polymerase activity synthesizing 5·5 s, 5 s and 4 s RNA, 435
2-Adenylic acid, allosteric effect on the *Pseudomonas* pyridine nucleotide transhydrogenase, 651
Aggerbeck, L. (see also Mateu, L.), 105
Allosteric effect of 2-adenylic acid on the *Pseudomonas* pryidine nucleotide transhydrogenase, 651
— interactions and the half-ligated state of haemoglobin by high-resolution nuclear magnetic resonance, 315
Aloni, Y. & Attardi, G., Expression of the mitochondrial genome in HeLa cells. XI. Isolation and characterization of transcription complexes of mitochondrial DNA, 363
— —, — — — — — — — — —. XII. Relationship between mitochondrial fast-sedimenting RNA components and ribosomal and 4 s RNA, 375
Antibiotics, ribosome-directed, differential inhibition of coliphage MS2 protein, 41
Antonini, E. (see also Chiancone, E.), 73, 675
Appels, R. & Wells, J. R. E., Synthesis and turnover of DNA-bound histone during maturation of avian red blood cells, 425
Asakura, T. (see also Hershberg, R.), 735
Aspartate transcarbamylase of *Escherichia coli*, gene expression and sequential biosynthesis of the subunits, 511
Attardi, G. (see also Aloni, Y.), 363, 375
Avian red blood cell maturation, synthesis and turnover of DNA-bound histone, 425

Bacteriophage λ and host *Escherichia coli* recombination pathway interaction, effects on λ recombination, 531
— — — its host *Escherichia coli* K12 recombination pathway interaction, effects on exonuclease V activity, 539
— T4 DNA transcription by *Escherichia coli* RNA polymerase *in vitro*, 253
— — endonuclease V, replacement of defective function *uvr* mutants in *Escherichia coli*, 1
— — reproduction, role of genes *46* and *47*, 617
— T4*r*IIB gene product identified as a membrane protein, 589
— T7 DNA denaturation map and direction of DNA transcription, 239
— T7 DNA, tight binding of RNA polymerase holoenzyme of *Escherichia coli* to single-strand breaks, 197
— T7 RNA chain initiation by enzyme–DNA complexes in *Escherichia coli*, 221
Beetlestone, J. G. (see also Winterhalter, K. H.), 665
Bennett, P. M. (see also O'Brien, E. J.), 133
Berni, R. (see also Noble, R. W.), 689
Bird, R. E., Louarn, J., Martuscelli, J. & Caro, L., Origin and sequence of chromosome replication in *Escherichia coli*, 549
Blood cell maturation, avian red, synthesis and turnover of DNA-bound histone, 425
Bombyx mori, silk fibroin genes, 637
Bourgaux, P. & Bourgaux-Ramoisy, D., Unwinding of replicating polyoma virus DNA, 399
Bourgaux-Ramoisy, D. (see also Bourgaux, P.), 399
Bromodeoxyuridine used in identification of a developmental program, 337
Bromothymol blue, reactions with ligand-saturated haemoglobin and protoporphyrin globin, 689
Brown, D. D. (see also Suzuki, Y.), 637
Brunner, H., Mayer, A. & Sussner, H., Resonance Raman scattering on the haem group of oxy- and deoxyhaemoglobin, 153

Campbell, G. (see also Weintraub, H.), 337
Caro, L. (see also Bird, R. E.), 549
Carter, W. A., Pitha, P. M., Marshall, L. W., Tazawa, I., Tazawa, S. & Ts'o, P. O. P., Structural requirements of the r*In*.r*Cn* complex for induction of human interferon, 567

Chamberlin, M. J. (see also Hinkle, D. C.), 157, 187, 197, 209
— & Ring, J., Studies of the binding of *Escherichia coli* RNA polymerase to DNA. V. T7 RNA chain initiation by enzyme–DNA complexes, 221
Chiancone, E., Norne, J. E., Forsén, S., Antonini, E. & Wyman, J., Nuclear magnetic resonance quadrupole relaxation studies of chloride binding to human oxy- and deoxyhaemoglobin, 675
—, Vecchini, P., Rosaria Rossi Fanelli, M. & Antonini, E., Studies on erythrocruorin. II. Dissociation of earthworm erythrocruorin, 73
Chloride binding to human oxy- and deoxyhaemoglobin measured by nuclear magnetic resonance quadrupole relaxation studies, 675
Chromosome replication origin and sequence in *Escherichia coli*, 549
Clark, A. J. (see also Unger, R. C.), 531, 539
Coliphage MS2 protein synthesis, differential inhibition by ribosome-directed antibiotics, 41
Colman, P. M., Jansonius, J. N. & Matthews, B. W., The structure of thermolysin: an electron density map at 2·3 Å resolution, 701
Cross-bridges on self-assembled smooth muscle myosin filaments, 741
Cyanide complexes of haemoglobin α and β chains, high-resolution nuclear magnetic resonance spectra, 291

Davidson, E. H. (see also Hough, B. R.), 491
Delayed-early and immediate-early gene identification during transcription of bacteriophage T4 DNA by *Escherichia coli* RNA polymerase *in vitro*, 253
Denaturation maps of complete and defective Simian virus 40 DNA molecules, 415
Deoxyribonucleic acid binding of *Escherichia coli* RNA polymerase, effect of rifampicin, 209
— — — — — RNA polymerase in *Escherichia coli*, role of sigma subunit in site selection, 157
— — — — — —, nitrocellulose filter assay, 177
— — -bound histone synthesis and turnover during maturation of avian red blood cells, 425
— — –enzyme complexes, bacteriophage T7 RNA chain initiation, 221
— — /membrane fraction of *Pneumococcus* contains a DNA replication complex, 383
— —, mitochondrial, isolation and characterization of transcription complexes in HeLa cells, 363
— — molecules of Simian virus 40, complete and defective, denaturation maps, 415
— — of bacteriophage T7, denaturation map and direction of DNA transcription, 239
— — — — —, tight binding of *Escherichia coli* RNA polymerase holoenzyme to single-strand breaks, 197
— — — *Escherichia coli*, RNA polymerase binding kinetics, 187
— — — SV40, separation of the strands and hybridization of them to RNA extracted from lytically infected and transformed cells, 57
— —, polynucleotide ligase-defective mutants of bacteriophage T4, formation of gaps on parental DNA during reproduction, 617
— — transcription in bacteriophage T4 by *Escherichia coli* RNA polymerase *in vitro*, 253
— —, unwinding of replicating polyoma virus DNA, 399
Developmental program identification using bromodeoxyuridine, 337
Di Iorio, E. E. (see also Winterhalter, K. H.), 665

Earthworm erythrocruorin dissociation, 73
Echols, H. (see also Unger, R. C.), 531
Eicher, H. (see also Winterhalter, K. H.), 665
Electron density map at 2·3 Å resolution of thermolysin, 701
Electronic structure of the haem iron haemoglobin Zurich $\beta^{63his} \rightarrow$ arg, 665
Endonuclease V of bacteriophage T4, replacement of defective function *uvr* mutants in *Escherichia coli*, 1
Erythrocruorin of earthworm, dissociation, 73
Escherichia coli and bacteriophage λ recombination pathway interaction, effects on λ recombination, 531
— — aspartate transcarbamylase, gene expression and sequential biosynthesis of the subunits, 511
— —, bacteriophage T7 RNA chain initiation by enzyme–DNA complexes, 221
— — chromosome replication origin and sequence, 549
— — K12 and bacteriophage λ recombination pathway interaction, effects on exonuclease V activity, 539
— — lactose operon, mRNA synthesis and decay during amino acid starvation, 451
— —, replacement of defective function of *uvr* mutants by T4 endonuclease V, 1
— — RNA polymerase binding to DNA, role of sigma subunit in site selection, 157
— — — — — Kinetics of binding to DNA, 187

Escherichia coli RNA polymerase binding to DNA and RNA chain initiation, effect of rifampicin, 209
— — — — holoenzyme, tight binding to single-strand breaks in T7 DNA, 197
— — — —, *in vitro* transcription of bacteriophage T4 DNA, 253
— —, study of the maturation of 5 s RNA precursors, 465
— —, ultraviolet-induced repair synthesis in the duplicated and non-duplicated regions of the chromosome, 281
Excision repair, initial steps in *Escherichia coli*, 1
Exonuclease V activity, effect of recombination pathway interaction in bacteriophage λ and its host *Escherichia coli* K12, 539
Exoribonuclease, 3′-OH specific, hydrolysis of pre-ribosomal and ribosomal RNA, 265

Fehr, D. G. (see also Salemme, F. R.), 697
Feunteun, J., Jordan, B. R. & Monier, R., Study of the maturation of 5 s RNA precursors in *Escherichia coli*, 465
Fibrillar flight muscle of insect, structure in the presence and absence of ATP, 85
Fibroin, silk, genes in *Bombyx mori*, 637
Finkel, D. (see also Giacomoni, D.), 725
Firshein, W., The DNA/membrane fraction of *Pneumococcus* contains a DNA replication complex, 383
Flagella, straight from a mutant of *Salmonella*, structure, 133
Flight muscle of insect, fibrillar, structure in the presence and absence of ATP, 85
Forsen, S. (see also Chiancone, E.), 675
Frankel, F. R. (see also Weintraub, S. B.), 589
Frazier, J. (see also Ishikawa, F.), 475
Fujiwara, M. (see also Ogawa, S.), 301
Furuno, A. (see also Yoshiike, K.), 415

Gage, L. P. (see also Suzuki, Y.), 637
Gene product T4*r*IIB identified as a membrane protein, 589
Geraci, G. & Sada, A., Reactivity of the 93 β sulphydryls of human haemoglobin A: influence of the β C-terminal residues, 729
Giacomoni, D. & Finkel, D., Time of duplication of ribosomal RNA cistrons in a cell line of *Potorous tridactylis* (rat kangaroo), 725
Gómez, B. & Lang, D., Denaturation map of bacteriophage T7 DNA and direction of DNA transcription, 239

Haemoglobin, high-resolution nuclear magnetic resonance spectra of cyanide complexes of α and β chains, 291
— — — — — — — — ligated tetramers, 301
—, human, influence of the β C-terminal residues on reactivity of the 93 β sulphydryls, 729
—, ligand-saturated, and protoporphyrin globin, their reactions with bromothymol blue and sulphydryl reagents, 689
—, proton magnetic resonance of isolated subunits, 735
—, oxy- and deoxy-, chloride binding measured by nuclear magnetic resonance quadrupole relaxation studies, 675
—, resonance Raman scattering of the haem group of oxy- and deoxyhaemoglobin, 153
—, the half-ligated state and allosteric interactions studied by high-resolution nuclear magnetic resonance, 315
— Zurich $\beta^{63his}\rightarrow$ arg, electronic structure of the haem iron, 665
Half-ligated state and allosteric interactions of haemoglobin by high-resolution nuclear magnetic resonance, 315
Hanawalt, P. (see also Nakayama, H.), 281
HeLa cells, isolation and characterization of transcription complexes of mitochondrial DNA, 363
Hershberg, R. & Asakura, T., Proton magnetic resonance of isolated hemoglobin subunits, 735
Herve, G. (see also Perbal, B.), 511
Hinkle, D. C. & Chamberlin, M. J., Studies of the binding of *Escherichia coli* RNA polymerase to DNA. I. The role of sigma subunit in site selection, 157
— — — — — — — — — — — — — — —. II. The kinetics of the binding reaction, 187
—, Mangel, W. F. & Chamberlin, M. J., Studies of the binding of *Escherichia coli* RNA polymerase to DNA. IV. The effect of rifampicin on binding and on chain initiation, 209
—, Ring, J. & Chamberlin, M. J., Studies of the binding of *Escherichia coli* RNA polymerase to DNA. III. Tight binding of RNA polymerase holoenzyme to single-strand breaks in T7 DNA, 197

Histone, DNA-bound, synthesis and turnover during maturation of avian red blood cells, 425
Holoenzyme, tight binding of RNA polymerase holoenzyme of *Escherichia coli* to single-strand breaks, 197
Holtzer, H. (see also Weintraub, H.), 337
Hosoda, J. (see also Prashad, N.), 617
Hough, B. R. & Davidson, E. H., Studies on the repetitive sequence transcripts of *Xenopus* oocytes, 491
Howard, F. B. (see also Ishikawa, F.), 475
Human haemoglobin, influence of β C-terminal residues on reactivity of the 93 β sulphydryls, 729
— interferon induction, structural requirements of the $rI_n.rC_n$ complex, 567
— oxy- and deoxyhaemoglobin chloride binding measured by nuclear magnetic resonance quadrupole relaxation studies, 675
— serum low-density lipoprotein structure, 105

Ikegami, A. (see also Nakanishi, M.), 351
Immediate-early and delayed-early gene identification during transcription of bacteriophage T4 DNA by *Escherichia coli* RNA polymerase *in vitro*, 253
Insect fibrillar flight muscle, structure in the presence and absence of ATP, 85
Insulin conformation by laser Raman spectroscopy, 117
Interferon, human structural requirements of the $rI_n.rC_n$ complex, 567
Iron of haem, electronic structure in haemoglobin Zurich $\beta^{63his}\rightarrow$ arg, 665
Ishikawa, F., Frazier, J., Howard, F. B. & Miles, H. T., Polyadenylate-polyuridylate helices with non-Watson–Crick hydrogen bonding, 475

Jansonius, J. N. (see also Colman, P. M.), 701
Jayaraman, R., Transcription of bacteriophage T4 DNA by *Escherichia coli* RNA polymerase *in vitro*: identification of some immediate-early and delayed-early genes, 253
Jordan, B. R. (see also Feunteun, J.), 465

K12 (see *Escherichia coli*)
Kaplan, N. O. (see also Louie, D. D.), 651
Kelley, D. E. (see also Perry, R. P.), 265
Keller, W. (see also Sambrook, J.), 57
Kennell, D. & Simmons, C., Synthesis and decay of mRNA from the lactose operon of *Escherichia coli* during amino-acid starvation, 451
Kinetics of binding reaction of *Escherichia coli* RNA polymerase to DNA, 187
Kozak, M. & Nathans, D., Differential inhibition of coliphage MS2 protein synthesis by ribosome-directed antibiotics, 41
Kushimo, J. B. (see also Winterhalter, K. H.), 665

λ (see Bacteriophage)
Lactose operon of *Escherichia coli*, mRNA synthesis and decay during amino acid starvation, 451
Lang, D. (see also Gómez, B.), 239
Laser Raman spectroscopy and the conformation of insulin and proinsulin, 117
Leavitt, J. C., Moldave, K. & Nakada, D., Stimulation of *in vitro* RNA synthesis by ribosomes and ribosomal proteins, 15
Ligand-saturated haemoglobin and protoporphyrin globin, their reactions with bromothymol blue and sulphydryl reagents, 689
Ligase for polynucleotide defective mutants of bacteriophage T4, formation of gaps on parental DNA during reproduction, 617
Ligated tetramers of haemoglobin, high-resolution nuclear magnetic resonance spectra, 301
Lipoprotein, low density, of human serum, structure, 105
Liu, C. S. (see also Yu, N-T.), 117
Louarn, J. (see also Bird, R. E.), 549
Louie, D. D., Kaplan, N. O. & McLean, J. D., Allosteric effect of 2′-adenylic acid on the *Pseudomonas* pyridine nucleotide transhydrogenase, 651
Luzzati, V. (see also Mateu, L.), 105
Lysozyme structure fluctuation, 351
Lytically infected and transformed cells used for extraction of RNA hybridization with separate strands of SV40 DNA, 57

Mangel, W. F. (see also Hinkle, D. C.), 209
Marshall, L. W. (see also Carter, W. A.), 567
Martuscelli, J. (see also Bird, R. E.), 549
Mateu, L., Tardieu, A., Luzzati, V., Aggerbeck, L. & Scanu, A. M., On the structure of human serum low-density lipoprotein, 105
Matthews, B. W. (see also Colman, P. M.), 701
Mayer, A. (see also Brunner, H.), 153
— (see also Winterhalter, K. H.), 665
McLean, J. D. (see also Louie, D. D.), 651
Membrane protein identified as the T4*r*IIB gene product, 589
Messenger RNA from the lactose operon of *Escherichia coli*, synthesis and decay during amino acid starvation, 451
Miles, H. T. (see also Ishikawa, F.), 475
Miller, A. & Tregear, R. T., Structure of insect fibrillar flight muscle in the presence and absence of ATP, 85
Mitochondrial DNA transcription complexes in HeLa cells, isolation and characterization, 263
— fast-sedimenting RNA components, relationship with ribosomal and 4 s RNA, 375
Moldave, K. (see also Leavitt, J. C.), 15
Molecular model co-ordinates from X-ray crystallography, rapid measurement device, 697
Monier, R. (see also Feunteun, J.), 465
MS2 (see Coliphage)
Muscle, fibrillar flight of insect, structure in the presence and absence of ATP, 85
Myosin filaments of self-assembled smooth muscle, cross-bridges, 741

Nakada, D. (see also Leavitt, J. C.), 15
Nakanishi, M., Tsuboi, M. & Ikegami, A., Fluctuation of the lysozyme structure, 351
Nakayama, H., Pratt, A. & Hanawalt, P., Ultraviolet-induced repair synthesis in the duplicated and non-duplicated regions of the *Escherichia coli* chromosome, 281
Nathans, D. (see also Kozak, M.), 41
Nitrocellulose filter assay for the binding of RNA polymerase to DNA, 177
Noble, R. W., Rossi, G.-L. & Berni, R., A structural comparison of ligand-saturated haemoglobin with protoporphyrin globin. I. Reaction with bromothymol blue and sulphydryl reagents, 689
Norne, J. E. (see also Chiancone, E.), 675
Nuclear magnetic resonance at high resolution used to study the half-ligated state and allosteric interactions of haemoglobin, 315
— — — quadrupole relaxation studies of chloride binding to human oxy- and deoxyhaemoglobin, 675
— — — spectra at high resolution of ligated tetramers of haemoglobin, 301
— — — — — — — — — the cyanide complexes of haemoglobin α and β chains, 291

O'Brien, E. J. & Bennett, P. M., Structure of straight flagella from mutant *Salmonella*, 133
Ogawa, S. & Shulman, R. G., High-resolution nuclear magnetic resonance spectra of haemoglobin. III. The half-ligated state and allosteric interactions, 315
—, Shulman, R. G. & Yamane, T., High-resolution nuclear magnetic resonance spectra of haemoglobin. I. The cyanide complexes of α and β chains, 291
— —, Fujiwara, M. & Yamane, T., High-resolution nuclear magnetic resonance spectra of haemoglobin. II. Ligated tetramers, 301
Oocytes of *Xenopus*, repetitive sequence transcripts, 491
O'Shea, D. C. (see also Yu, N-T.), 117

Penman, S. (see also Price, R.), 435
Perbal, B. & Hervé, G., Biosynthesis of *Escherichia coli* aspartate transcarbamylase. I. Parameters of gene expression and sequential biosynthesis of the subunits, 551
Perry, R. P. & Kelley, D. E., The production of ribosomal RNA from high molecular weight precursors. III. Hydrolysis of pre-ribosomal and ribosomal RNA by a 3′-OH specific exoribonuclease, 265
Pitha, P. M. (see also Carter, W. A.), 567
Pneumococcus DNA/membrane fraction contains a DNA replication complex, 383
Polyadenylate.polyuridylate helices with non-Watson–Crick bonding, 475
Polymerase for RNA, activity in synthesis of 5·5 s, 5 s and 4 s RNA in nuclei from adenovirus 2-infected HeLa cells, 435

Polymerase for RNA binding to DNA, nitocellulose filter assay, 177
— — —, holoenzyme of *Escherichia coli*, tight binding to single-strand breaks in T7 DNA, 197
— — — of *Escherichia coli*, binding to DNA, 221
— — — — — —, effect of rifampicin on binding to DNA and RNA chain initiation, 209
— — — — — —, role of sigma subunit in site selection during binding to DNA. 157
Polynucleotide ligase defective mutants of bacteriophage T4, formation of gaps on parental DNA during reproduction, 617
Polyoma (see Virus)
Potorous tridactylis cell line, time of duplication of ribosomal RNA cistrons, 725
Prashad, N. & Hosoda, J., Role of genes 46 and 47 in bacteriophage T4 reproduction. II. Formation of gaps on parental DNA of polynucleotide ligase defective mutants, 617
Pratt, A. (see also Nakayama, H.), 281
Pre-ribosomal RNA hydrolysis by a 3′-OH specific exoribonuclease, 265
Price, R. & Penman, S., A distinct RNA polymerase activity, synthesizing 5·5 s, 5 s and 4 s RNA in nuclei from adenovirus 2-infected HeLa cells, 435
Program, developmental, identification using bromodeoxyuridine, 337
Proinsulin conformation by laser Raman spectroscopy, 117
Proton magnetic resonance of isolated haemoglobin subunits, 735
Protoporphyrin globin and ligand-saturated haemoglobin, their reactions with bromothymol blue and sulphydryl reagents, 689
Pseudomonas pyridine nucleotide transhydrogenase, allosteric effect of 2-adenylic acid, 651
Pyridine nucleotide transhydrogenase of *Pseudomonas*, allosteric effect of 2-adenylic acid, 651

Raman spectroscopy, laser, and the conformation of insulin and proinsulin, 117
— —, resonance Raman scattering of the haem group of oxy- and deoxyhaemoglobin, 153
Rat kangaroo (see *Potorous tridactylis*)
Recombination pathway interaction of bacteriophage λ and host *Escherichia coli*, effects on λ recombination, 531
— — — — — — — its host *Escherichia coli* K12, effects on exonuclease V activity, 539
Red blood cell maturation, avian, synthesis and turnover of DNA-bound histone, 425
Resonance Raman scattering on the haem group of oxy- and deoxyhaemoglobin, 153
Ribonucleic acid, chain initiation by enzyme–DNA complexes in bacteriophage T7, 221
— — extracted from lytically infected and transformed cells hybridized with separate strands of SV40 DNA, 57
— —, messenger from the lactose operon of *Escherichia coli*, synthesis and decay during amino acid starvation, 451
— — polymerase activity synthesizing 5·5 s, 5 s and 4 s RNA in nuclei from adenovirus 2-infected HeLa cells, 435
— — — binding kinetics to DNA in *Escherichia coli*, 187
— — — — to DNA, nitrocellulose filter assay, 177
— — — holoenzyme of *Escherichia coli*, tight binding to single-strand breaks in T7 DNA, 197
— — — of *Escherichia coli*, effect of rifampicin on binding to DNA and RNA chain initiation, 209
— — — — — —, role of sigma subunit in site selection during binding to DNA, 157
— —, relationship between mitochondrial fast-sedimenting RNA components and 4 s RNA, 375
— —, ribosomal and pre-ribosomal, hydrolysis by a 3′-OH specific exoribonuclease, 265
— —, —, cistron duplication time in a cell line of *Potorous tridactylis*, 725
— —, 5 s precursors in *Escherichia coli*, 465
— — synthesis by ribosomes and ribosomal proteins, *in vitro* stimulation, 15
Ribosomal and 4 s RNA, relationship with mitochondrial fast-sedimenting RNA components, 375
— RNA cistron duplication time in a cell line of *Potorus tridactylis*, 725
— — production from light-molecular weight precursors, 265
Ribosomes and ribosomal proteins, *in vitro* stimulation of RNA synthesis, 15
Rifampicin effect on binding of *Escherichia coli* RNA polymerase to DNA and on RNA chain initiation, 209
Ring, J. (see also Chamberlin, M. J.), 221
— (see also Hinkle, D. C.), 197
Rosaria Rossi Fanelli, M. (see also Chiancone, E.), 73
Rossi, G.-L. (see also Noble, R. W.), 689

Sada, A. (see also Geraci, G.), 729
Salemme, F. R. & Fehr, D. G., A device for the rapid measurement of molecular model coordinates for X-ray crystallography, 697

Salmonella mutant, structure of straight flagella, 133
Sambrook, J., Sharp, P. A. & Keller, W., Transcription of Simian virus 40. I. Separation of the strands of SV40 DNA and hybridization of the separated strands to RNA extracted from lytically infected and transformed cells, 57
Scanu, A. M. (see also Mateu, L.), 105
Sekiguchi, M. (see also Taketo, A.), 1
Serum low-density lipoprotein, human, structure, 105
Sharp, P. A. (see also Sambrook, J.), 57
Shulman, R. G. (see also Ogawa, S.), 291, 301, 315
Sigma subunit role in site selection during binding of *Escherichia coli* RNA polymerase to DNA, 157
Silk fibroin genes in *Bombyx mori*, 637
Simian virus 40 (see Virus)
Simmons, C. (see also Kennell, D.), 451
Smooth muscle myosin filaments, self-assembled, cross-bridges, 741
Sobieszek, A., Cross-bridges on self-assembled smooth muscle myosin filaments, 741
Straight flagella structure of a mutant of *Salmonella*, 133
Sulphydryl reagents, reactions with ligand-saturated haemoglobin and protoporphyrin globin, 689
Sulphydryls, 93 β of human haemoglobin, influence of β C-terminal residues on reactivity, 729
Sussner, H. (see also Brunner, H.), 153
Suzuki, K. (see also Yoshiike, K.), 415
Suzuki, Y., Gage, L. P. & Brown, D. D., The genes for silk fibroin in *Bombyx mori*, 637
SV40 (see Virus)

T4 (see Bacteriophage)
T7 (see Bacteriophage)
Taketo, A., Yasuda, S. & Sekiguchi, M., Initial step of excision repair in *Escherichia coli*: Replacement of defective function in *uvr* mutants by T4 endonuclease V, 1
Tardieu, A. (see also Mateu, L.), 105
Tazawa, I. (see also Carter, W. A.), 567
Tazawa, S. (see also Carter, W. A.), 567
Thermolysin structure, an electron density map at 2·3 Å resolution, 701
Transcarbamylase for aspartate of *Escherichia coli*, gene expression and sequential biosynthesis of the subunits, 511
Transcription complexes of mitochondrial DNA in HeLa cells, isolation and characterization, 363
— of bacteriophage T4 DNA by *Escherichia coli* RNA polymerase *in vitro*, identification of some immediate-early and delayed-early genes, 253
— — DNA, direction in bacteriophage T7, 239
— — Simian virus 40, 57
Transhydrogenase for pyridine nucleotide of *Pseudomonas*, allosteric effect of 2-adenylic acid, 651
Tregear, R. T. (see also Miller, A.), 85
Ts'o, P. O. P. (see also Carter, W. A.), 567
Tsuboi, M. (see also Nakanishi, M.), 351

Uebelhack, H. (see also Winterhalter, K. H.), 665
Ultraviolet-induced repair synthesis in the duplicated and non-duplicated regions of the *Escherichia coli* chromosome, 281
Unger, R. C. & Clark, A. J., Interaction of the recombination pathways of bacteriophage λ and its host *Escherichia coli* K12: effects on exonuclease V activity, 539
—, Echols, H. & Clark, A. J., Interaction of the recombination pathways of bacteriophage λ and host *Escherichia coli*: effects on recombination, 531

Vecchini, P. (see also Chiancone, E.), 73
Virus, polyoma replicating DNA unwinding, 399
—, SV40, denaturation maps of complete and defective DNA molecules, 415
—, transcription of Simian virus 40, 57

Watson–Crick bonding not present in some polyadenylate. polyuridylate helices, 475
Weintraub, H., Campbell, G. & Holtzer, H., Identification of a developmental program using bromodeoxyuridine, 337
Weintraub, S. B. & Frankel, F. R., Identification of the T4*r*IIB gene product as a membrane protein, 589

Wells, J. R. E. (see also Appels, R.), 425
Winterhalter, K. H., Di Iorio, E. E., Beetlestone, J. G., Kushimo, J. B., Uebelhack, H., Eicher, H. & Mayer, A., The electronic structure of the haem iron in haemoglobin Zurich $\beta^{63his\rightarrow}$ arg, 665
Wyman, J. (see also Chiancone, E.), 675

Xenopus oocytes, studies on the repetitive sequence transcripts, 491
X-ray crystallography, a device for the rapid measurement of molecular model co-ordinates, 697

Yamane, T. (see also Ogawa, S.), 291, 301
Yasuda, S. (see also Taketo, A.), 1
Yoshike, K., Furuno, A. & Suzuki, K., Denaturation maps of complete and defective Simian virus 40 DNA molecules, 415
Yu, N-T., Liu, C. S. & O'Shea, D. C., Laser raman spectroscopy and the conformation of insulin and proinsulin, 117

Zurich (see Haemoglobin)